



SAMUR HEAVY KONTRAT HALI KOLEKSİYONU TEKNİK ÖZELLİKLERİ
SAMUR HEAVY CONTRACT COLLECTION TECHNICAL SPECIFICATIONS

		800 gr/m²	1.000 gr/m²	1.200 gr./m²	1.400 gr/m²
Ürün Cinsi	Carpet Type	Wall to Wall Saxony Carpet	Wall to Wall Saxony Carpet	Wall to Wall Saxony Carpet	Wall to Wall Saxony Carpet
Üretim Cinsi	Production Process	Chromojet Printing	Chromojet Printing	Chromojet Printing	Chromojet Printing
Dokuma Türü	Gauge	1 / 10 Inch, Cut Pile	1 / 10 Inch, Cut Pile	1 / 10 Inch, Cut Pile	1 / 10 Inch, Cut Pile
Hav Malzemesi	Pile Material	% 100 Polyamide (nylon)	% 100 Polyamide (nylon)	% 100 Polyamide (nylon)	% 100 Polyamide (nylon)
Fiksaj	Heatset	Textured Superba Heatset	Textured Superba Heatset	Textured Superba Heatset	Textured Superba Heatset
Yüzey Koruyucu	Soil & Stain Resistance	Teflon Carpet Protector	Teflon Carpet Protector	Teflon Carpet Protector	Teflon Carpet Protector
Hav Yüksekliği	Pile Height	5,5 mm (finish, +/- %5)	5,5 mm (finish, +/- %5)	5,5 mm (finish, +/- %5)	6,5 mm (finish, +/- %5)
Toplam Yükseklik SoftTEX	Total Height With SoftTEX	8,5 mm (SoftTEX, +/- %5)	8,5 mm (SoftTEX, +/- %5)	8,5 mm (SoftTEX, +/- %5)	9,5 mm (SoftTEX, +/- %5)
Dokuma Sıklığı	Stitches Per 10 cm	42 stitches / 10 cm (+/- %5)	51 stitches / 10 cm (+/- %5)	61 stitches / 10 cm (+/- %5)	62 stitches / 10 cm (+/- %5)
İlmeç Adedi	Tufts Per sqm	165.480 tufts/sqm (+/- %5)	200.940 tufts/sqm (+/- %5)	240.340 tufts/sqm (+/- %5)	244.280 tufts/sqm (+/- %5)
Hav Ağırlığı	Pile Weight	800 gr/sqm (+/- %5)	1.000 gr/sqm (+/- %5)	1.200 gr/sqm (+/- %5)	1.400 gr/sqm (+/- %5)
Toplam Ağırlık SoftTEX	Total Weight With SoftTEX	2.000 gr/sqm (+/- %5)	2.200 gr/sqm (+/- %5)	2.400 gr/sqm (+/- %5)	2.600 gr/sqm (+/- %5)
Birinci Taban	Primary Backing	Woven Polypropylene	Woven Polypropylene	Woven Polypropylene	Woven Polypropylene
İkinci Taban	Secondary Backing	SoftTEX Backing	SoftTEX Backing	SoftTEX Backing	SoftTEX Backing
Bitmiş Ürün Eni	Finish Width	4,00 m	4,00 m	4,00 m	4,00 m



SAMUR ANTRON PA 66 HEAVY KONTRAT HALI KOLEKSİYONU TEKNİK ÖZELLİKLERİ
SAMUR ANTRON PA 66 HEAVY CONTRACT COLLECTION TECHNICAL SPECIFICATIONS

		800 gr/m²	1.000 gr/m²	1.200 gr./m²	1.400 gr/m²
Ürün Cinsi	Carpet Type	Wall to Wall Saxony Carpet	Wall to Wall Saxony Carpet	Wall to Wall Saxony Carpet	Wall to Wall Saxony Carpet
Üretim Cinsi	Production Process	Chromojet Printing	Chromojet Printing	Chromojet Printing	Chromojet Printing
Dokuma Türü	Gauge	1 / 10 Inch, Cut Pile	1 / 10 Inch, Cut Pile	1 / 10 Inch, Cut Pile	1 / 10 Inch, Cut Pile
Hav Malzemesi	Pile Material	% 100 Antron PA 66	% 100 Antron PA 66	% 100 Antron PA 66	% 100 Antron PA 66
Fiksaj	Heatset	Textured Superba Heatset	Textured Superba Heatset	Textured Superba Heatset	Textured Superba Heatset
Yüzey Koruyucu	Soil & Stain Resistance	Teflon Carpet Protector	Teflon Carpet Protector	Teflon Carpet Protector	Teflon Carpet Protector
Hav Yüksekliği	Pile Height	5,5 mm (finish, +/- %5)	5,5 mm (finish, +/- %5)	5,5 mm (finish, +/- %5)	6,5 mm (finish, +/- %5)
Toplam Yükseklik SoftTEX	Total Height With SoftTEX	8,5 mm (SoftTEX, +/- %5)	8,5 mm (SoftTEX, +/- %5)	8,5 mm (SoftTEX, +/- %5)	9,5 mm (SoftTEX, +/- %5)
Dokuma Sıklığı	Stitches Per 10 cm	41 stitches / 10 cm (+/- %5)	51 stitches / 10 cm (+/- %5)	60 stitches / 10 cm (+/- %5)	61 stitches / 10 cm (+/- %5)
İlmeç Adedi	Tufts Per sqm	161.540 tufts/sqm (+/- %5)	200.940 tufts/sqm (+/- %5)	236.400 tufts/sqm (+/- %5)	240.340 tufts/sqm (+/- %5)
Hav Ağırlığı	Pile Weight	800 gr/sqm (+/- %5)	1.000 gr/sqm (+/- %5)	1.200 gr/sqm (+/- %5)	1.400 gr/sqm (+/- %5)
Toplam Ağırlık SoftTEX	Total Weight With SoftTEX	2.000 gr/sqm (+/- %5)	2.200 gr/sqm (+/- %5)	2.400 gr/sqm (+/- %5)	2.600 gr/sqm (+/- %5)
Birinci Taban	Primary Backing	Woven Polypropylene	Woven Polypropylene	Woven Polypropylene	Woven Polypropylene
İkinci Taban	Secondary Backing	SoftTEX Backing	SoftTEX Backing	SoftTEX Backing	SoftTEX Backing
Bitmiş Ürün Eni	Finish Width	4,00 m	4,00 m	4,00 m	4,00 m



SAMUR %80 YÜN %20 PA KONTRAT HALI KOLEKSİYONU TEKNİK ÖZELLİKLERİ
SAMUR %80 WOOL % 20 PA CONTRACT COLLECTION TECHNICAL SPECIFICATIONS

		1.000 gr/m²	1.200 gr/m²	1.400 gr/m²	1.600 gr/m²
Ürün Cinsi	Carpet Type	Wall to Wall Saxony Carpet	Wall to Wall Saxony Carpet	Wall to Wall Saxony Carpet	Wall to Wall Saxony Carpet
Üretim Cinsi	Production Process	Chromojet Printing	Chromojet Printing	Chromojet Printing	Chromojet Printing
Dokuma Türü	Gauge	1 / 10 Inch, Cut Pile	1 / 10 Inch, Cut Pile	1 / 10 Inch, Cut Pile	1 / 10 Inch, Cut Pile
Hav Malzemesi	Pile Material	%80 Wool + %20 Polyamide (nylon)	%80 Wool + %20 Polyamide (nylon)	%80 Wool + %20 Polyamide (nylon)	%80 Wool + %20 Polyamide (nylon)
Fiksaj	Heatset	Textured Superba Heatset	Textured Superba Heatset	Textured Superba Heatset	Textured Superba Heatset
Yüzey Koruyucu	Soil & Stain Resistance	Teflon Carpet Protector	Teflon Carpet Protector	Teflon Carpet Protector	Teflon Carpet Protector
Hav Yüksekliği	Pile Height	6 mm (finish, +/- %5)	6 mm (finish, +/- %5)	6 mm (finish, +/- %5)	7 mm (finish, +/- %5)
Toplam Yükseklik SoftTEX	Total Height With SoftTEX	9 mm (SoftTEX, +/- %5)	9 mm (SoftTEX, +/- %5)	9 mm (SoftTEX, +/- %5)	10 mm (SoftTEX, +/- %5)
Dokuma Sıklığı	Stitches Per 10 cm	37 stitches / 10 cm (+/- %5)	45 stitches / 10 cm (+/- %5)	52 stitches / 10 cm (+/- %5)	54 stitches / 10 cm (+/- %5)
İlmeç Adedi	Tufts Per sqm	145.780 tufts/sqm (+/- %5)	177.300 tufts/sqm (+/- %5)	204.880 tufts/sqm (+/- %5)	212.760 tufts/sqm (+/- %5)
Hav Ağırlığı	Pile Weight	1.000 gr/sqm (+/- %5)	1.200 gr/sqm (+/- %5)	1.400 gr/sqm (+/- %5)	1.600 gr/sqm (+/- %5)
Toplam Ağırlık SoftTEX	Total Weight With SoftTEX	2.200 gr/sqm (+/- %5)	2.400 gr/sqm (+/- %5)	2.600 gr/sqm (+/- %5)	2.800 gr/sqm (+/- %5)
Birinci Taban	Primary Backing	Woven Polypropylene	Woven Polypropylene	Woven Polypropylene	Woven Polypropylene
İkinci Taban	Secondary Backing	SoftTEX Backing	SoftTEX Backing	SoftTEX Backing	SoftTEX Backing
Bitmiş Ürün Eni	Finish Width	4,00 m	4,00 m	4,00 m	4,00 m